

Stockholm University

Department of Statistics

Econometrics I

WRITTEN EXAMINATION

Wednesday April 25 2018, 10 am – 15 pm

Tools allowed: Pocket calculator

Passing rate. 50% of overall total, which is 100 points. For detailed grading Criteria, see the course description.

The exam will be handed back: not decided

For the maximum number of points on each problem detailed and clear solutions are required.

If not indicated otherwise, the disturbance term u_i in the models are assumed to fulfill the usual requirements of normality, homoscedasticity and independence.

Task 1 (24)

Assume the following model $Y_i = \beta_0 + \beta_1 X_{1i} + \beta_2 X_{2i} + u_i$

- A) Derive the least square estimator of β_0 . (8)
- B) The result in task A should be $\hat{\beta}_0 = \frac{\sum Y_i}{n}$. Show that the estimator is unbiased and find its variance. In your derivation specify where you use the assumption of uncorrelated errors and the assumption of constant error variance. (8)
- C) Now assume that the error variance is proportional to the variable X_{1i} . How should you transform the model to obtain constant error variance? Present the transformed model and show that the error variance in the transformed model is homoscedastic. (8)

Task 2 (8)

Which two of the following statements are not correct for the classical linear regression model: $Y_i = \beta_0 + \beta_1 X_{1i} + \beta_2 X_{2i} + \beta_3 X_{3i} + u_i$

- a) $\text{Cov}(X_{1i}, X_{3i})$ must be equal to zero
- b) If $X_{2i}=2X_{3i}$, it is possible to estimate the individual parameters β_2 and β_3 using a simple linear regression model instead of the multiple model.
- c) $E(u_i|X_{1i}) = E(u_i|X_{3i})$
- d) $E(Y|X_{1i}+1, X_{3i}+1) - E(Y|X_{1i}, X_{3i}) = \beta_2 + \beta_3$
- e) If $X_{2i}=X_{3i}$, it is possible to estimate the sum of the individual parameters β_2 and β_3 using a simple linear regression model instead of the multiple model.

Task 3 (20)

The table below shows the number of death penalty verdicts (DPV) for cases involving multiple murders (TOTALS) in Florida between 1976 and 1987, classified by the race of the defendant and the race of the victim.

The following model will be studied: $\ln \frac{P}{1-p} = \beta_1 + \beta_2 VR + \beta_3 DR$,

where P = probability that a multiple murder will get a death penalty, VR=1 if the victim is black, 0 if the victim is white and DR=1 if the defendant is black, DR = 0 if the defendant is white.

(See Jöreskog et al, Multivariate Analysis with LISREL, Springer Verlag, and references therein.)

- A) Is the logistic regression significant? Specify the null- and alternative hypothesis and use relevant result in the estimation results to answer the question. (6)
- B) For given victim calculate a 90% confidence interval for the ODDS of a death penalty if the defendant is black (e^{β_3}). (7)
- C) Calculate the probability of getting a death penalty given VR=1 and DR=1 and compare it with the observed proportion for VR=1 and DR=1.(7)

Data Display

Row	DPV	VR	DR	TOTALS
1	53	0	0	467
2	11	0	1	48
3	0	1	0	16
4	4	1	1	143

Estimation results

Response Information

Variable	Value	Count
DPV	Event	68
	Non-event	606
TOTALS	Total	674

Logistic Regression Table

Predictor	Coef	SE Coef	Z	P	Odds Ratio
Constant	-2,05946	0,145846	-14,12	0,000	
VR	-2,40444	0,600600	-4,00	0,000	0,09
DR	0,867797	0,367074	2,36	0,018	2,38

Log-Likelihood = -209,478

Test that all slopes are zero: G = 21,886, DF = 2, P-Value = 0,000

Task 4 (23)

This exercise is based on the data in table 8.8 in Gujarati edition 5. In the table data for GDP, Employment and Fixed Capital for the years 1955 to 1974 in Mexico are presented. We shall use these observations to study the Cobb-Douglas production function:

$$\ln GDP_t = \beta_1 + \beta_2 \ln Labor_t + \beta_3 \ln Capital_t + u_t.$$

We will assume that the assumptions are fulfilled for the classical linear regression model and disregard the problem with trending variables.

- A) Interpret the parameter estimate of β_2 .(5p)
- B) Specify the null hypothesis and the alternative hypothesis that corresponds to the presented F-value=1719.20 and make a conclusion based on the result. (6).
- C) Calculate a 90% confidence interval for $\beta_2 + \beta_3$ and interpret the result.(12p)

```
. regress lnGDP lnLabor lnCapital
```

Source	SS	df	MS	Number of obs	=	20
Model	2.75165006	2	1.37532503	F(2, 17)	=	1719.20
Residual	.01360456	17	.000801266	Prcb > F	=	0.0000
Total	2.76525462	19	.145539717	R-squared	=	0.9951
				Adj R-squared	=	0.9945
				Fstat	=	.02829

	lnGDP	Coef.	Std. Err.	t	P> t	[95% Conf. Interval]
lnLabor	.3397362	.1356928	1.93	0.035	.0520414	.7315133
lnCapital	.8459951	.093332	9.06	0.000	.6490397	1.042951
_cons	-1.652429	.6062017	-2.73	0.014	-2.931402	-.3734547

```
. estat vce
```

Covariance matrix of coefficients of regress model

e(V)	lnLabor	lnCapital	_cons
lnLabor	.03448182		
lnCapital	-.01703459	.00871459	
_cons	-.10494718	.0480547	.36748054

Task 5 (25)

Below and on the next page you find estimation results for the models:

$$\text{Model 1: } Y_i = \beta_1 + \beta_2 X_{2i} + u_i$$

$$\text{Model 2: } Y_i = \beta_1 + \beta_2 X_{2i} + \beta_3 D_i + \beta_4 D_i X_{2i} + u_i,$$

where D is a dummy variable that takes the value 0 for group one and the value 1 for group two. Below you find estimation results for Model 1 based on all observations and estimation results based on observations for group 1 only. The estimation results on the next page for Model 2 are based on all observations.

- A) Use the results from Model 2 to write out the estimated equation for group one and group two separately. (5)
- B) Perform a formal test of whether the beta-parameters are the same for the two groups. Be careful when you specify the hypothesis, test statistic, degrees of freedom, result and decision. (12)
- C) Is the error variance the same for group 1 and group 2? Perform a formal test. (10)

Regression Analysis: Y versus X

The regression equation is
$$Y = -3,01 + 0,0725 X$$

Predictor	Coef	SE Coef	T	P
Constant	-3,014	2,919	-1,03	0,313
X	0,07250	0,03941	1,64	0,079

S = 1,09899 R-Sq = 12,8% R-Sq(adj) = 9,0%

Analysis of Variance

Source	DF	SS	MS	F	P
Regression	1	4,086	4,086	3,38	0,079
Residual Error	23	27,774	1,203		
Total	24	31,860			

Regression Analysis: Y1 versus X1

The regression equation is
$$Y1 = -5,34 + 0,1112 X1$$

Predictor	Coef	SE Coef	T	P
Constant	-5,342	2,893	-1,85	0,088
X1	0,11151	0,03943	2,83	0,014

S = 0,771082 R-Sq = 38,1% R-Sq(adj) = 33,3%

Analysis of Variance

Source	DF	SS	MS	F	P
Regression	1	4,7546	4,7546	8,00	0,014
Residual Error	13	7,7294	0,5946		

Total 14 12,4840

Regression Analysis: Y versus X; D; X*D

The regression equation is
$$Y = -5,34 + 0,112 X + 1,99 D - 0,0450 X \cdot D$$

Predictor	Coef	SE Coef	T	P
Constant	-5,342	3,355	-1,59	0,126
X	0,11151	0,04572	2,44	0,024
D	1,989	4,808	0,41	0,683
X*D	-0,04502	0,06478	-0,69	0,495

S = 0,694085 R-Sq = 47,3% R-Sq(adj) = 39,8%

Analysis of Variance

Source	DF	SS	MS	F	P
Regression	3	15,0729	5,0243	6,23	0,003
Residual Error	21	16,7871	0,7994		
Total	24	31,8600			

Formula sheet, Econometrics I, Spring 2018

Under the simple linear model $Y_i = \beta_1 + \beta_2 X_i + u_i$, where $u_i \sim N(0, \sigma^2)$ and given independent pairs of observations $(Y_1, X_1), \dots, (Y_n, X_n)$, the OLS estimators are:

$$\begin{aligned}\hat{\beta}_1 &= \bar{Y} - \hat{\beta}_2 \bar{X} \\ \hat{\beta}_2 &= \frac{\sum (X_i - \bar{X})(Y_i - \bar{Y})}{\sum (X_i - \bar{X})^2} \\ \hat{\sigma}^2 &= \frac{RSS}{n-2} = \frac{\sum (Y_i - \hat{Y}_i)^2}{n-2}\end{aligned}$$

where $\hat{Y}_i = \hat{\beta}_1 + \hat{\beta}_2 X_i$ and where $E(\hat{\beta}_1) = \beta_1$, $E(\hat{\beta}_2) = \beta_2$ and $E(\hat{\sigma}^2) = \sigma^2$ and further

$$\begin{aligned}V(\hat{\beta}_1) &= \frac{\sum X_i^2}{n \sum (X_i - \bar{X})^2} \sigma^2 \\ V(\hat{\beta}_2) &= \frac{\sigma^2}{\sum (X_i - \bar{X})^2} \\ V(\hat{Y}_0) &= \sigma^2 \left(\frac{1}{n} + \frac{(X_0 - \bar{X})^2}{\sum (X_i - \bar{X})^2} \right) \\ V(Y_0 - \hat{Y}_0) &= \sigma^2 \left(1 + \frac{1}{n} + \frac{(X_0 - \bar{X})^2}{\sum (X_i - \bar{X})^2} \right)\end{aligned}$$

Distributional results:

$$\begin{aligned}\frac{\hat{\beta}_i - \beta_i}{se(\hat{\beta}_i)} &\sim t(n-2), \quad i = 1, 2 \\ \frac{\hat{\sigma}^2 (n-2)}{\sigma^2} &\sim \chi^2(n-2)\end{aligned}$$

Coefficient of determination:

$$r^2 = \frac{ESS}{TSS} = 1 - \frac{RSS}{TSS} = 1 - \frac{\sum (Y_i - \hat{Y}_i)^2}{\sum (Y_i - \bar{Y})^2}$$

Coefficient of correlation:

$$r = \frac{\sum (X_i - \bar{X})(Y_i - \bar{Y})}{\sqrt{\sum (X_i - \bar{X})^2 \sum (Y_i - \bar{Y})^2}}$$

where $r = \pm\sqrt{r^2}$

If we let $Y_i^* = w_1 Y_i$ and $X_i^* = w_2 X_2$, then

$$\hat{\beta}_1^* = w_1 \hat{\beta}_1, \quad \hat{\beta}_2^* = \left(\frac{w_1}{w_2}\right) \hat{\beta}_2, \quad \hat{\sigma}^{*2} = w_1^2 \hat{\sigma}^2$$

Under the multiple linear regression model $Y_i = \beta_1 + \beta_2 X_{2i} + \cdots + \beta_k X_{ki} + u_i$, where $u_i \sim N(0, \sigma^2)$ and given independent vectors of observations $(Y_1, X_{21}, \dots, X_{k1}), \dots, (Y_n, X_{2n}, \dots, X_{kn})$, the following holds for the OLS estimators:

$$\hat{\sigma}^2 = \frac{RSS}{n-k} = \frac{\sum (Y_i - \hat{Y}_i)^2}{n-k}$$

$$\begin{aligned} \frac{\hat{\beta}_i - \beta_i}{se(\hat{\beta}_i)} &\sim t(n-k), \quad i = 1, \dots, k \\ \frac{\hat{\sigma}^2 (n-k)}{\sigma^2} &\sim \chi^2(n-k) \end{aligned}$$

The multiple coefficient of determination:

$$R^2 = \frac{ESS}{TSS} = 1 - \frac{RSS}{TSS} = 1 - \frac{\sum (Y_i - \hat{Y}_i)^2}{\sum (Y_i - \bar{Y})^2}$$

Adjusted:

$$\bar{R}^2 = 1 - \frac{RSS/(n-k)}{TSS/(n-1)}$$

Testing $H_0: \beta_2 = \dots = \beta_k = 0$:

$$F = \frac{ESS/(k-1)}{RSS/(n-k)} = \frac{\sum (\hat{Y}_i - \bar{Y})^2 / (k-1)}{\sum (Y_i - \hat{Y}_i)^2 / (n-k)}$$

Comparing an "old" model with a "new" (larger):

$$\begin{aligned} F &= \frac{(ESS_{new} - ESS_{old})/\text{number of new regressors}}{RSS_{new}/(n - \text{number of parameters in the new model})} \\ &= \frac{(R^2_{new} - R^2_{old})/\text{number of new regressors}}{(1 - R^2_{new})/(n - \text{number of parameters in the new model})} \end{aligned}$$

Comparing an "unrestricted" model with a "restricted":

$$F = \frac{(RSS_R - RSS_{UR})/m}{RSS_{UR}/(n-k)} = \frac{(R_{UR}^2 - R_R^2)/m}{(1 - R_{UR}^2)/(n-k)}$$

where m is the number of linear constraints and k is the number of parameters in the unrestricted model.

Variance inflation factor:

$$VIF_j = \frac{1}{1 - R_j^2}$$

Auxiliary regression:

$$F_j = \frac{R_j^2/(k-2)}{(1 - R_j^2)/(n-k+1)}$$

where $R_j^2 = R^2$ in the regression of x_j on the remaining $(k-2)$ regressors.

Tests of heteroscedasticity: (all test statistics are evaluated under the null hypothesis of no heteroscedasticity)

White's test: Regress \hat{u}_i^2 against the $k-1$ regressors and the squares of these.
Test statistic: $n R^2 \xrightarrow{\text{appr}} \chi^2(2(k-1))$

Glejser test: Regress $|\hat{u}_i|$ against the regressor X_j (one regressor at a time)
Test statistic: t -test of the slope

Park test: Regress $\ln \hat{u}_i^2$ against the regressor $\ln X_j$, (one regressor at a time)
Test statistic: t -test of the slope

Goldefeld Quandt test of equal variances in two separate regressions:
Test statistic: $\frac{S_1^2}{S_2^2} \sim F(n_1 - k_1, n_2 - k_2)$

Tests of autocorrelation:

The Runs test: For R = number of runs, where $N = N_1 + N_2$ total number of observations:

$$\begin{aligned} E(R) &= \frac{2N_1 N_2}{N} + 1 \\ V(R) &= \frac{2N_1 N_2 (2N_1 N_2 - N)}{N^2(N-1)} \end{aligned}$$

The Durbin Watson d statistic:

$$d = \frac{\sum_{t=2}^n (\hat{u}_t - \hat{u}_{t-1})^2}{\sum_{t=1}^n \hat{u}_t^2}$$

Breusch Godfrey test: Null hypothesis: $H_0: \rho_1 = \rho_2 = \dots = \rho_K = 0$
 Test statistic: nR^2 from the regression of \hat{u}_t on the regressors which have produced \hat{u}_t plus lagged \hat{u}_t up to lag K .
 n = the number of observations used in this regression.
 The test statistic is approximately $\chi^2(K)$

Akaike's information criterion:

$$AIC = \frac{e^{2k/n} RSS}{n}$$

Schwartz's information criterion:

$$SIC = \frac{n^{k/n} RSS}{n}$$

Mallow's C_p criterion:

$$C_p = \frac{RSS_p}{\hat{\sigma}^2} - (n - 2p)$$

Logistic regression (logit model):


$$P(Y = 1) = \frac{1}{1 + e^{-(\beta_0 + \beta_1 X_1 + \dots + \beta_k X_k)}}, \quad \ln\left(\frac{P(Y = 1)}{1 - P(Y = 1)}\right) = \beta_0 + \beta_1 X_1 + \dots + \beta_k X_k$$

TABLE D.1
Areas Under the Standardized Normal Distribution

Example

$$\Pr(0 \leq Z \leq 1.96) = 0.4750$$

$$\Pr(Z \geq 1.96) = 0.5 - 0.4750 = 0.025$$



Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	0.000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4454	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4990	0.4990	0.4990

Note: This table gives the area in the right-hand tail of the distribution (*i.e.*, $Z \geq 0$). But since the normal distribution is symmetrical about $Z = 0$, the area in the left-hand tail is the same as the area in the corresponding right-hand tail. $\Pr(-1.96 \leq Z \leq 0) = 0.4750$. Therefore, $\Pr(-1.96 \leq Z \leq 1.96) = 2(0.4750) = 0.95$.

TABLE D.2
Percentage Points of
the *t* Distribution


SOURCE: FROM E. S. Pearson and
H. O. Hartley, eds., *Biometrika Tables
for Statisticians*, Vol. 1,
4th ed., table 12, Cambridge
University Press, New York.
With Reproduced by
permission of the editor and
institute of Biometrika.

Example

$$\Pr(t > 2.086) = 0.025$$

$$\Pr(t > 1.725) = 0.05 \quad \text{for } df = 20$$

$$\Pr(t > 1.725) = 0.10$$




Pr df \	0.25	0.10	0.05	0.025	0.01	0.005	0.001
	0.50	0.20	0.10	0.05	0.02	0.010	0.002
1	1.000	3.078	6.314	12.706	31.821	63.657	318.31
2	0.816	1.886	2.920	4.303	6.965	9.925	22.327
3	0.765	1.638	2.353	3.182	4.541	5.841	10.214
4	0.741	1.533	2.132	2.776	3.747	4.604	7.173
5	0.727	1.476	2.015	2.571	3.365	4.032	5.893
6	0.718	1.440	1.943	2.447	3.143	3.707	5.208
7	0.711	1.415	1.895	2.365	2.998	3.499	4.785
8	0.706	1.397	1.860	2.306	2.896	3.355	4.501
9	0.703	1.383	1.833	2.262	2.821	3.250	4.297
10	0.700	1.372	1.812	2.228	2.764	3.169	4.144
11	0.697	1.363	1.796	2.201	2.718	3.106	4.025
12	0.695	1.356	1.782	2.179	2.681	3.055	3.930
13	0.694	1.350	1.771	2.160	2.650	3.012	3.852
14	0.692	1.345	1.761	2.145	2.624	2.977	3.787
15	0.691	1.341	1.753	2.131	2.602	2.947	3.733
16	0.690	1.337	1.746	2.120	2.583	2.921	3.686
17	0.689	1.333	1.740	2.110	2.567	2.898	3.646
18	0.688	1.330	1.734	2.101	2.552	2.878	3.610
19	0.688	1.328	1.729	2.093	2.539	2.861	3.579
20	0.687	1.325	1.725	2.086	2.528	2.845	3.552
21	0.686	1.323	1.721	2.080	2.518	2.831	3.527
22	0.686	1.321	1.717	2.074	2.508	2.819	3.505
23	0.685	1.319	1.714	2.069	2.500	2.807	3.485
24	0.685	1.318	1.711	2.064	2.492	2.797	3.467
25	0.684	1.316	1.708	2.060	2.485	2.787	3.450
26	0.684	1.315	1.706	2.056	2.479	2.779	3.435
27	0.684	1.314	1.703	2.052	2.473	2.771	3.421
28	0.683	1.313	1.701	2.048	2.467	2.763	3.408
29	0.683	1.311	1.699	2.045	2.462	2.756	3.396
30	0.683	1.310	1.697	2.042	2.457	2.750	3.385
40	0.681	1.303	1.684	2.021	2.423	2.704	3.307
60	0.679	1.296	1.671	2.000	2.390	2.660	3.232
120	0.677	1.289	1.658	1.980	2.358	2.617	3.160
∞	0.674	1.282	1.645	1.960	2.326	2.576	3.090

Note: The smaller probability shown at the head of each column is the area in one tail; the larger probability is the area in both tails.

TABLE D.4
Upper Percentage Points of the χ^2 Distribution

Example $\Pr(\chi^2 > 10.85) = 0.95$ $\Pr(\chi^2 > 23.83) = 0.25$ $\Pr(\chi^2 > 31.41) = 0.05$

for df = 20



Degrees of freedom	.995	.990	.975	.950	.900
1	392704×10^{-10}	157088×10^{-9}	982069×10^{-9}	393214×10^{-8}	.0157908
2	.0100251	.0201007	.0506356	.102587	.210720
3	.0717212	.114832	.215795	.351846	.584375
4	.206990	.297110	.484419	.710721	1.063623
5	.411740	.554300	.831211	1.145476	1.61031
6	.675727	.872085	1.237347	1.63539	2.20413
7	.989265	1.239043	1.68987	2.16735	2.83311
8	1.344419	1.646482	2.17973	2.73264	3.48954
9	1.734926	2.087912	2.70039	3.32511	4.16816
10	2.15585	2.55821	3.24697	3.94030	4.86518
11	2.60321	3.05347	3.81575	4.57481	5.57779
12	3.07382	3.57056	4.40379	5.22603	6.30380
13	3.56503	4.10691	5.00874	5.89186	7.04150
14	4.07468	4.66043	5.62872	6.57063	7.78953
15	4.60094	5.22935	6.26214	7.26094	8.54675
16	5.14224	5.81221	6.90766	7.96164	9.31223
17	5.69724	6.40776	7.56418	8.67176	10.0852
18	6.26481	7.01491	8.23075	9.39046	10.8649
19	6.84398	7.63273	8.90655	10.1170	11.6509
20	7.43386	8.26040	9.59083	10.8508	12.4426
21	8.03366	8.89720	10.28293	11.5913	13.2396
22	8.64272	9.54249	10.9823	12.3380	14.0415
23	9.26042	10.19567	11.6885	13.0905	14.8479
24	9.88623	10.8564	12.4011	13.8484	15.6587
25	10.5197	11.5240	13.1197	14.6114	16.4734
26	11.1603	12.1981	13.8439	15.3791	17.2919
27	11.8076	12.8786	14.5733	16.1513	18.1138
28	12.4613	13.5648	15.3079	16.9279	18.9392
29	13.1211	14.2565	16.0471	17.7083	19.7677
30	13.7867	14.9535	16.7908	18.4926	20.5992
40	20.7065	22.1643	24.4331	26.5093	29.0505
50	27.9907	29.7067	32.3574	34.7642	37.6886
60	35.5346	37.4848	40.4817	43.1879	46.4589
70	43.2752	45.4418	48.7576	51.7393	55.3290
80	51.1720	53.5400	57.1532	60.3915	64.2778
90	59.1963	61.7541	65.6466	69.1260	73.2912
100*	67.3276	70.0648	74.2219	77.9295	82.3581

*For df greater than 100 the expression $\sqrt{2\chi^2} - \sqrt{2(k-1)} = Z$ follows the standard normal distribution, where k represents the degrees of freedom.



χ^2 -table continued

.750	.500	.250	.100	.050	.025	.010	.005
1.015308	4.54937	1.32330	2.70554	3.84146	5.02389	6.63490	7.87944
.575364	1.38629	2.77259	4.60517	5.99147	7.37776	9.21034	10.5966
1.212534	2.36597	4.10835	6.25139	7.81473	9.34840	11.3449	12.8381
1.92255	3.35670	5.38527	7.77944	9.48773	11.1433	13.2767	14.8602
.67460	4.35146	6.62568	9.23635	11.0705	12.8325	15.0863	16.7496
3.45460	5.34812	7.84080	10.6446	12.5916	14.4494	16.8119	18.5476
4.25485	6.34581	9.03715	12.0170	14.0671	16.0128	18.4753	20.2777
5.07064	7.34412	10.2188	13.3616	15.5073	17.5346	20.0902	21.9550
5.89883	8.34283	11.3887	14.6837	16.9190	19.0228	21.6660	23.5893
.73720	9.34182	12.5489	15.9871	18.3070	20.4831	23.2093	25.1882
.58412	10.3410	13.7007	17.2750	19.6751	21.9200	24.7250	26.7569
8.43842	11.3403	14.8454	18.5494	21.0261	23.3367	26.2170	28.2995
9.29906	12.3398	15.9839	19.8119	22.3621	24.7356	27.6883	29.8194
10.1653	13.3393	17.1170	21.0642	23.6848	26.1190	29.1413	31.3193
11.0365	14.3389	18.2451	22.3072	24.9958	27.4884	30.5779	32.8013
11.9122	15.3385	19.3688	23.5418	26.2962	28.8454	31.9999	34.2672
12.7919	16.3381	20.4887	24.7690	27.5871	30.1910	33.4087	35.7185
13.6753	17.3379	21.6049	25.9894	28.8693	31.5264	34.8053	37.1564
14.5620	18.3376	22.7178	27.2036	30.1435	32.8523	36.1908	38.5822
15.4518	19.3374	23.8277	28.4120	31.4104	34.1696	37.5662	39.9968
16.3444	20.3372	24.9348	29.6151	32.6705	35.4789	38.9321	41.4010
17.2396	21.3370	26.0393	30.8133	33.9244	36.7807	40.2894	42.7956
18.1373	22.3369	27.1413	32.0069	35.1725	38.0757	41.6384	44.1813
19.0372	23.3367	28.2412	33.1963	36.4151	39.3641	42.9798	45.5585
19.9393	24.3366	29.3389	34.3816	37.6525	40.6465	44.3141	46.9278
20.8434	25.3364	30.4345	35.5631	38.8852	41.9232	45.6417	48.2899
21.7494	26.3363	31.5284	36.7412	40.1133	43.1944	46.9630	49.6449
22.6572	27.3363	32.6205	37.9159	41.3372	44.4607	48.2782	50.9933
23.5666	28.3362	33.7109	39.0875	42.5569	45.7222	49.5879	52.3356
.4776	29.3360	34.7998	40.2560	43.7729	46.9792	50.8922	53.6720
33.6603	39.3354	45.6160	51.8050	55.7585	59.3417	63.6907	66.7659
42.9421	49.3349	56.3336	63.1671	67.5048	71.4202	76.1539	79.4900
52.2938	59.3347	66.9814	74.3970	79.0819	83.2976	88.3794	91.9517
51.6983	69.3344	77.5766	85.5271	90.5312	95.0231	100.425	104.215
51.1445	79.3343	88.1303	96.5782	101.879	106.629	112.329	116.321
50.6247	89.3342	98.6499	107.565	113.145	118.136	124.116	128.299
50.1332	99.3341	109.141	118.498	124.342	129.561	135.807	140.169

Source: Abridged from E. S. Pearson and H. O. Hartley, eds., *Biometrika Tables for Statisticians*, vol. 1, 3d ed., table S, Cambridge University Press, New York, 1966.
Reproduced by permission of the editors and trustees of *Biometrika*.




TABLE D-3 Upper Percentage Points of the F Distribution**Example**

$$\Pr(F > 1.59) = 0.25$$

$$\Pr(F > 2.42) = 0.10 \quad \text{for } df N_1 = 10$$

$$\Pr(F > 3.14) = 0.05 \quad \text{and } N_2 = 9$$

$$\Pr(F > 5.26) = 0.01$$



df for denominator N_2	Pr	df for numerator N_1											
		1	2	3	4	5	6	7	8	9	10	11	12
1	.25	5.83	7.50	8.20	8.58	8.82	8.98	9.10	9.19	9.26	9.32	9.36	9.41
	.10	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9	60.2	60.5	60.7
	.05	161	200	216	225	230	234	237	239	241	242	243	244
2	.25	2.57	3.00	3.15	3.23	3.28	3.31	3.34	3.35	3.37	3.38	3.39	3.39
	.10	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.40	9.41
	.05	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4
	.01	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4	99.4	99.4	99.4
3	.25	2.02	2.28	2.36	2.39	2.41	2.42	2.43	2.44	2.44	2.44	2.45	2.45
	.10	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.22
	.05	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.76	8.74
	.01	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3	27.2	27.1	27.1
4	.25	1.81	2.00	2.05	2.06	2.07	2.08	2.08	2.08	2.08	2.08	2.08	2.08
	.10	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.91	3.90
	.05	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.94	5.91
	.01	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7	14.5	14.4	14.4
5	.25	1.69	1.85	1.88	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89	1.89
	.10	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.28	3.27
	.05	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.71	4.68
	.01	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2	10.1	9.96	9.89
6	.25	1.62	1.76	1.78	1.79	1.79	1.78	1.78	1.78	1.77	1.77	1.77	1.77
	.10	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.92	2.90
	.05	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.03	4.00
	.01	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.79	7.72
7	.25	1.57	1.70	1.72	1.72	1.71	1.71	1.70	1.70	1.69	1.69	1.69	1.68
	.10	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.68	2.67
	.05	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.60	3.57
	.01	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.54	6.47
8	.25	1.54	1.66	1.67	1.66	1.66	1.65	1.64	1.64	1.63	1.63	1.63	1.62
	.10	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.52	2.50
	.05	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.31	3.28
	.01	11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.73	5.67
9	.25	1.51	1.62	1.63	1.63	1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.58
	.10	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.40	2.38
	.05	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.10	3.07
	.01	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.18	5.11

Source: From E. S. Pearson and H. O. Hartley, eds., *Biometrika Tables for Statisticians*, vol. 1, 3d ed., table 13, Cambridge University Press, New York, 1966. Reproduced by permission of the editors and trustees of Biometrika.

F-table (Continued)

df for numerator N_1													df for denominator N_2
15	20	24	30	40	50	60	100	120	200	500	∞	Pr	
9.49	9.58	9.63	9.67	9.71	9.74	9.76	9.78	9.80	9.82	9.84	9.85	.25	
61.2	61.7	62.0	62.3	62.5	62.7	62.8	63.0	63.1	63.2	63.3	63.3	.10	1
246	248	249	250	251	252	252	253	253	254	254	254	.05	
3.41	3.43	3.43	3.44	3.45	3.45	3.46	3.47	3.47	3.48	3.48	3.48	.25	
9.42	9.44	9.45	9.46	9.47	9.47	9.47	9.48	9.48	9.49	9.49	9.49	.10	2
19.4	19.4	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	19.5	.05	
99.4	99.4	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	99.5	.01	
2.46	2.46	2.46	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	2.47	.25	
5.20	5.18	5.18	5.17	5.16	5.15	5.15	5.14	5.14	5.14	5.14	5.13	.10	3
8.70	8.66	8.64	8.62	8.59	8.58	8.57	8.55	8.55	8.54	8.53	8.53	.05	
26.9	26.7	26.6	26.5	26.4	26.4	26.3	26.2	26.2	26.2	26.1	26.1	.01	
2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	2.08	.25	
3.87	3.84	3.83	3.82	3.80	3.80	3.79	3.78	3.78	3.77	3.76	3.76	.10	4
5.86	5.80	5.77	5.75	5.72	5.70	5.69	5.66	5.66	5.65	5.64	5.63	.05	
14.2	14.0	13.9	13.8	13.7	13.7	13.7	13.6	13.6	13.5	13.5	13.5	.01	
1.89	1.88	1.88	1.88	1.88	1.88	1.87	1.87	1.87	1.87	1.87	1.87	.25	
3.24	3.21	3.19	3.17	3.16	3.15	3.14	3.13	3.12	3.12	3.11	3.10	.10	5
4.62	4.56	4.53	4.50	4.46	4.44	4.43	4.41	4.40	4.39	4.37	4.36	.05	
9.72	9.55	9.47	9.38	9.29	9.24	9.20	9.13	9.11	9.08	9.04	9.02	.01	
1.76	1.76	1.75	1.75	1.75	1.75	1.74	1.74	1.74	1.74	1.74	1.74	.25	
2.87	2.84	2.82	2.80	2.78	2.77	2.76	2.75	2.74	2.73	2.73	2.72	.10	6
3.94	3.87	3.84	3.81	3.77	3.75	3.74	3.71	3.70	3.69	3.68	3.67	.05	
7.56	7.40	7.31	7.23	7.14	7.09	7.06	6.99	6.97	6.93	6.90	6.88	.01	
1.68	1.67	1.67	1.66	1.66	1.66	1.65	1.65	1.65	1.65	1.65	1.65	.25	
2.63	2.59	2.58	2.56	2.54	2.52	2.51	2.50	2.49	2.48	2.48	2.47	.10	7
3.51	3.44	3.41	3.38	3.34	3.32	3.30	3.27	3.27	3.25	3.24	3.23	.05	
6.31	6.16	6.07	5.99	5.91	5.86	5.82	5.75	5.74	5.70	5.67	5.65	.01	
1.62	1.61	1.60	1.60	1.59	1.59	1.58	1.58	1.58	1.58	1.58	1.58	.25	
2.46	2.42	2.40	2.38	2.36	2.35	2.34	2.32	2.32	2.31	2.30	2.29	.10	8
3.22	3.15	3.12	3.08	3.04	3.02	3.01	2.97	2.97	2.95	2.94	2.93	.05	
5.52	5.36	5.28	5.20	5.12	5.07	5.03	4.96	4.95	4.91	4.88	4.86	.01	
1.57	1.56	1.56	1.55	1.55	1.54	1.54	1.53	1.53	1.53	1.53	1.53	.25	
2.34	2.30	2.28	2.25	2.23	2.22	2.21	2.19	2.18	2.17	2.17	2.16	.10	9
3.01	2.94	2.90	2.86	2.83	2.80	2.79	2.76	2.75	2.73	2.72	2.71	.05	
4.96	4.81	4.73	4.65	4.57	4.52	4.48	4.42	4.40	4.36	4.33	4.31	.01	

(Continued)

TABLE D.3 Upper Percentage Points of the *F* Distribution (Continued)

df for denominator N_2	Pr	df for numerator N_1										
		1	2	3	4	5	6	7	8	9	10	11
10	.25	1.49	1.60	1.60	1.59	1.59	1.58	1.57	1.56	1.56	1.55	1.55
	.10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.30
	.05	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.94
	.01	10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.77
11	.25	1.47	1.58	1.58	1.57	1.56	1.55	1.54	1.53	1.53	1.52	1.52
	.10	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.23
	.05	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.82
	.01	9.65	7.21	6.22	5.67	5.32	5.07	4.89	4.74	4.63	4.54	4.46
12	.25	1.46	1.56	1.56	1.55	1.54	1.53	1.52	1.51	1.51	1.50	1.49
	.10	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.17
	.05	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.72
	.01	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.22
13	.25	1.45	1.55	1.55	1.53	1.52	1.51	1.50	1.49	1.49	1.48	1.47
	.10	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.12
	.05	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.63
	.01	9.07	6.70	5.74	5.21	4.86	4.62	4.44	4.30	4.19	4.10	4.02
14	.25	1.44	1.53	1.53	1.52	1.51	1.50	1.49	1.48	1.47	1.46	1.45
	.10	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.08
	.05	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.57
	.01	8.86	6.51	5.56	5.04	4.69	4.46	4.28	4.14	4.03	3.94	3.86
15	.25	1.43	1.52	1.52	1.51	1.49	1.48	1.47	1.46	1.46	1.45	1.44
	.10	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.04
	.05	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.51
	.01	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.73
16	.25	1.42	1.51	1.51	1.50	1.48	1.47	1.46	1.45	1.44	1.44	1.43
	.10	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	2.01
	.05	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.46
	.01	8.53	6.23	5.29	4.77	4.44	4.20	4.03	3.89	3.78	3.69	3.62
17	.25	1.42	1.51	1.50	1.49	1.47	1.46	1.45	1.44	1.43	1.42	1.41
	.10	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.98
	.05	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.41
	.01	8.40	6.11	5.18	4.67	4.34	4.10	3.93	3.79	3.68	3.59	3.52
18	.25	1.41	1.50	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.42	1.40
	.10	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.96
	.05	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.37
	.01	8.29	6.01	5.09	4.58	4.25	4.01	3.84	3.71	3.60	3.51	3.43
19	.25	1.41	1.49	1.49	1.47	1.46	1.44	1.43	1.42	1.41	1.41	1.40
	.10	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.94
	.05	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.34
	.01	8.18	5.93	5.01	4.50	4.17	3.94	3.77	3.63	3.52	3.43	3.36
20	.25	1.40	1.49	1.48	1.46	1.45	1.44	1.43	1.42	1.41	1.40	1.39
	.10	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.92
	.05	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.31
	.01	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.29

F-table (critiques)

															df for denominator N ₂
df for numerator N ₁															
15	20	24	30	40	50	60	100	120	200	500	~	Pr			
1.53	1.52	1.52	1.51	1.51	1.50	1.50	1.49	1.49	1.49	1.48	1.48	.25			
2.24	2.20	2.18	2.16	2.13	2.12	2.11	2.09	2.08	2.07	2.06	2.06	.10	10		
2.85	2.77	2.74	2.70	2.66	2.64	2.62	2.59	2.58	2.56	2.55	2.54	.05			
4.56	4.41	4.33	4.25	4.17	4.12	4.08	4.01	4.00	3.96	3.93	3.91	.01			
1.50	1.49	1.49	1.48	1.47	1.47	1.47	1.46	1.46	1.46	1.45	1.45	.25			
2.17	2.12	2.10	2.08	2.05	2.04	2.03	2.00	2.00	1.99	1.98	1.97	.10	11		
2.72	2.65	2.61	2.57	2.53	2.51	2.49	2.46	2.45	2.43	2.42	2.40	.05			
4.25	4.10	4.02	3.94	3.86	3.81	3.78	3.71	3.69	3.66	3.62	3.60	.01			
1.48	1.47	1.46	1.45	1.45	1.44	1.44	1.43	1.43	1.43	1.42	1.42	.25			
2.10	2.06	2.04	2.01	1.99	1.97	1.96	1.94	1.93	1.92	1.91	1.90	.10	12		
2.62	2.54	2.51	2.47	2.43	2.40	2.38	2.35	2.34	2.32	2.31	2.30	.05			
4.01	3.86	3.78	3.70	3.62	3.57	3.54	3.47	3.45	3.41	3.38	3.36	.01			
1.46	1.45	1.44	1.43	1.42	1.42	1.42	1.41	1.41	1.40	1.40	1.40	.25			
2.05	2.01	1.98	1.96	1.93	1.92	1.90	1.88	1.88	1.86	1.85	1.85	.10	13		
2.53	2.46	2.42	2.38	2.34	2.31	2.30	2.26	2.25	2.23	2.22	2.21	.05			
3.82	3.66	3.59	3.51	3.43	3.38	3.34	3.27	3.25	3.22	3.19	3.17	.01			
1.44	1.43	1.42	1.41	1.41	1.40	1.40	1.39	1.39	1.39	1.38	1.38	.25			
2.01	1.96	1.94	1.91	1.89	1.87	1.86	1.83	1.83	1.82	1.80	1.80	.10	14		
2.46	2.39	2.35	2.31	2.27	2.24	2.22	2.19	2.18	2.16	2.14	2.13	.05			
3.66	3.51	3.43	3.35	3.27	3.22	3.18	3.11	3.09	3.06	3.03	3.00	.01			
1.43	1.41	1.41	1.40	1.39	1.39	1.38	1.38	1.37	1.37	1.36	1.36	.25			
1.97	1.92	1.90	1.87	1.85	1.83	1.82	1.79	1.79	1.77	1.76	1.76	.10	15		
2.40	2.33	2.29	2.25	2.20	2.18	2.16	2.12	2.11	2.10	2.08	2.07	.05			
3.52	3.37	3.29	3.21	3.13	3.08	3.05	2.98	2.96	2.92	2.89	2.87	.01			
1.41	1.40	1.39	1.38	1.37	1.37	1.36	1.36	1.35	1.35	1.34	1.34	.25			
1.94	1.89	1.87	1.84	1.81	1.79	1.78	1.76	1.75	1.74	1.73	1.72	.10	16		
2.35	2.28	2.24	2.19	2.15	2.12	2.11	2.07	2.06	2.04	2.02	2.01	.05			
3.41	3.26	3.18	3.10	3.02	2.97	2.93	2.86	2.84	2.81	2.78	2.75	.01			
1.40	1.39	1.38	1.37	1.36	1.35	1.35	1.34	1.34	1.34	1.33	1.33	.25			
1.91	1.86	1.84	1.81	1.78	1.76	1.75	1.73	1.72	1.71	1.69	1.69	.10	17		
2.31	2.23	2.19	2.15	2.10	2.08	2.06	2.02	2.01	1.99	1.97	1.96	.05			
3.31	3.16	3.08	3.00	2.92	2.87	2.83	2.76	2.75	2.71	2.68	2.65	.01			
1.39	1.38	1.37	1.36	1.35	1.34	1.34	1.33	1.33	1.32	1.32	1.32	.25			
1.89	1.84	1.81	1.78	1.75	1.74	1.72	1.70	1.69	1.68	1.67	1.66	.10	18		
2.27	2.19	2.15	2.11	2.06	2.04	2.02	1.98	1.97	1.95	1.93	1.92	.05			
3.23	3.08	3.00	2.92	2.84	2.78	2.75	2.68	2.66	2.62	2.59	2.57	.01			
1.38	1.37	1.36	1.35	1.34	1.33	1.33	1.32	1.32	1.31	1.31	1.30	.25			
1.86	1.81	1.79	1.76	1.73	1.71	1.70	1.67	1.67	1.65	1.64	1.63	.10	19		
2.23	2.16	2.11	2.07	2.03	2.00	1.98	1.94	1.93	1.91	1.89	1.88	.05			
3.15	3.00	2.92	2.84	2.76	2.71	2.67	2.60	2.58	2.55	2.51	2.49	.01			
1.37	1.36	1.35	1.34	1.33	1.33	1.32	1.31	1.31	1.30	1.30	1.29	.25			
1.84	1.79	1.77	1.74	1.71	1.69	1.68	1.65	1.64	1.63	1.62	1.61	.10	20		
2.20	2.12	2.08	2.04	1.99	1.97	1.95	1.91	1.90	1.88	1.86	1.84	.05			
3.09	2.94	2.86	2.78	2.69	2.64	2.61	2.54	2.52	2.48	2.44	2.42	.01			

(Continued)

TABLE D.3 Upper Percentage Points of the F Distribution (Continued)

df for denominator N_2	Pr	df for numerator N_1											
		1	2	3	4	5	6	7	8	9	10	11	12
22	.25	1.40	1.48	1.47	1.45	1.44	1.42	1.41	1.40	1.39	1.39	1.38	1.37
	.10	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.88	1.86
	.05	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.26	2.23
	.01	7.95	5.72	4.82	4.31	3.99	3.76	3.59	3.45	3.35	3.26	3.18	3.12
24	.25	1.39	1.47	1.46	1.44	1.43	1.41	1.40	1.39	1.38	1.38	1.37	1.36
	.10	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.85	1.83
	.05	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.21	2.18
	.01	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26	3.17	3.09	3.03
26	.25	1.38	1.46	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.37	1.36	1.35
	.10	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.84	1.81
	.05	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.18	2.15
	.01	7.72	5.53	4.64	4.14	3.82	3.59	3.42	3.29	3.18	3.09	3.02	2.96
28	.25	1.38	1.46	1.45	1.43	1.41	1.40	1.39	1.38	1.37	1.37	1.36	1.35
	.10	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.81	1.79
	.05	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.15	2.12
	.01	7.64	5.45	4.57	4.07	3.75	3.53	3.36	3.23	3.12	3.03	2.96	2.90
30	.25	1.38	1.45	1.44	1.42	1.41	1.39	1.38	1.37	1.36	1.35	1.35	1.34
	.10	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.79	1.77
	.05	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.13	2.09
	.01	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.91	2.84
40	.25	1.36	1.44	1.42	1.40	1.39	1.37	1.36	1.35	1.34	1.33	1.32	1.31
	.10	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.79	1.76	1.73	1.71
	.05	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.04	2.00
	.01	7.31	5.18	4.31	3.83	3.51	3.29	3.12	2.99	2.89	2.80	2.73	2.66
60	.25	1.35	1.42	1.41	1.38	1.37	1.35	1.33	1.32	1.31	1.30	1.29	1.29
	.10	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.68	1.66
	.05	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.95	1.92
	.01	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.56	2.50
120	.25	1.34	1.40	1.39	1.37	1.35	1.33	1.31	1.30	1.29	1.28	1.27	1.26
	.10	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.62	1.60
	.05	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.87	1.83
	.01	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.40	2.34
200	.25	1.33	1.39	1.38	1.36	1.34	1.32	1.31	1.29	1.28	1.27	1.26	1.25
	.10	2.73	2.33	2.11	1.97	1.88	1.80	1.75	1.70	1.66	1.63	1.60	1.57
	.05	3.89	3.04	2.65	2.42	2.26	2.14	2.06	1.98	1.93	1.88	1.84	1.80
	.01	6.76	4.71	3.88	3.41	3.11	2.89	2.73	2.60	2.50	2.41	2.34	2.27
∞	.25	1.32	1.39	1.37	1.35	1.33	1.31	1.29	1.28	1.27	1.25	1.24	1.24
	.10	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.57	1.55
	.05	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.79	1.75
	.01	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.25	2.18

F-table (continued)

	df for numerator N_1							df for denominator N_2				
	20	24	30	40	50	60	100	120	200	500	∞	Pr
15												.25
1.36	1.34	1.33	1.32	1.31	1.31	1.30	1.30	1.30	1.29	1.29	1.28	.10
1.81	1.76	1.73	1.70	1.67	1.65	1.64	1.61	1.60	1.59	1.58	1.57	.05
2.15	2.07	2.03	1.98	1.94	1.91	1.89	1.85	1.84	1.82	1.80	1.78	.01
2.98	2.83	2.75	2.67	2.58	2.53	2.50	2.42	2.40	2.36	2.33	2.31	.25
1.35	1.33	1.32	1.31	1.30	1.29	1.29	1.28	1.28	1.27	1.27	1.26	.25
1.78	1.73	1.70	1.67	1.64	1.62	1.61	1.58	1.57	1.56	1.54	1.53	.10
2.11	2.03	1.98	1.94	1.89	1.86	1.84	1.80	1.79	1.77	1.75	1.73	.05
2.89	2.74	2.66	2.58	2.49	2.44	2.40	2.33	2.31	2.27	2.24	2.21	.01
1.34	1.32	1.31	1.30	1.29	1.28	1.28	1.26	1.26	1.26	1.25	1.25	.25
1.76	1.71	1.68	1.65	1.61	1.59	1.58	1.55	1.54	1.53	1.51	1.50	.10
2.07	1.99	1.95	1.90	1.85	1.82	1.80	1.76	1.75	1.73	1.71	1.69	.05
2.81	2.66	2.58	2.50	2.42	2.36	2.33	2.25	2.23	2.19	2.16	2.13	.01
1.33	1.31	1.30	1.29	1.28	1.27	1.27	1.26	1.25	1.25	1.24	1.24	.25
1.74	1.69	1.66	1.63	1.59	1.57	1.56	1.53	1.52	1.50	1.49	1.48	.10
2.01	1.96	1.91	1.87	1.82	1.79	1.77	1.73	1.71	1.69	1.67	1.65	.05
2.75	2.60	2.52	2.44	2.35	2.30	2.26	2.19	2.17	2.13	2.09	2.06	.01
1.32	1.30	1.29	1.28	1.27	1.26	1.26	1.25	1.24	1.24	1.23	1.23	.25
1.72	1.67	1.64	1.61	1.57	1.55	1.54	1.51	1.50	1.48	1.47	1.46	.10
2.01	1.93	1.89	1.84	1.79	1.76	1.74	1.70	1.68	1.66	1.64	1.62	.05
2.70	2.55	2.47	2.39	2.30	2.25	2.21	2.13	2.11	2.07	2.03	2.01	.01
1.30	1.28	1.26	1.25	1.24	1.23	1.22	1.21	1.21	1.20	1.19	1.19	.25
1.66	1.61	1.57	1.54	1.51	1.48	1.47	1.43	1.42	1.41	1.39	1.38	.10
1.92	1.84	1.79	1.74	1.69	1.66	1.64	1.59	1.58	1.55	1.53	1.51	.05
2.52	2.37	2.29	2.20	2.11	2.06	2.02	1.94	1.92	1.87	1.83	1.80	.01
1.27	1.25	1.24	1.22	1.21	1.20	1.19	1.17	1.17	1.16	1.15	1.15	.25
1.60	1.54	1.51	1.48	1.44	1.41	1.40	1.36	1.35	1.33	1.31	1.29	.10
1.84	1.75	1.70	1.65	1.59	1.56	1.53	1.48	1.47	1.44	1.41	1.39	.05
2.35	2.20	2.12	2.03	1.94	1.88	1.84	1.75	1.73	1.68	1.63	1.60	.01
1.24	1.22	1.21	1.19	1.18	1.17	1.16	1.14	1.13	1.12	1.11	1.10	.25
1.55	1.48	1.45	1.41	1.37	1.34	1.32	1.27	1.26	1.24	1.21	1.19	.10
1.75	1.66	1.61	1.55	1.50	1.46	1.43	1.37	1.35	1.32	1.28	1.25	.05
2.19	2.03	1.95	1.86	1.76	1.70	1.66	1.56	1.53	1.48	1.42	1.38	.01
1.23	1.21	1.20	1.18	1.16	1.14	1.12	1.11	1.10	1.09	1.08	1.06	.25
1.52	1.46	1.42	1.38	1.34	1.31	1.28	1.24	1.22	1.20	1.17	1.14	.10
1.72	1.62	1.57	1.52	1.46	1.41	1.39	1.32	1.29	1.26	1.22	1.19	.05
2.13	1.97	1.89	1.79	1.69	1.63	1.58	1.48	1.44	1.39	1.33	1.28	.01
1.22	1.19	1.18	1.16	1.14	1.13	1.12	1.09	1.08	1.07	1.04	1.00	.25
1.49	1.42	1.38	1.34	1.30	1.26	1.24	1.18	1.17	1.13	1.08	1.00	.10
1.67	1.57	1.52	1.46	1.39	1.35	1.32	1.24	1.22	1.17	1.11	1.00	.05
2.04	1.88	1.79	1.70	1.59	1.52	1.47	1.36	1.32	1.25	1.15	1.00	.01

TABLE D.5A Durbin-Watson d Statistic: Significance Points of d_L and d_U at 0.05 Level of Significance

n	$k = 1$		$k' = 2$		$k = 3$		$k' = 4$		$k = 5$		$k' = 6$		$k = 7$		$k' = 8$		$k = 9$		$k' = 10$		
	d_L	d_U	d_L	d_U	d_L	d_U	d_L	d_U													
6	0.610	1.400	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	0.700	1.356	0.467	1.893	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	0.763	1.332	0.559	1.777	0.368	2.287	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	0.824	1.320	0.629	1.699	0.455	2.129	0.296	2.588	—	—	—	—	—	—	—	—	—	—	—	—	—
10	0.879	1.320	0.697	1.641	0.525	2.016	0.376	2.414	0.243	2.822	—	—	—	—	—	—	—	—	—	—	—
11	0.927	1.324	0.658	1.684	0.595	1.929	0.444	2.283	0.316	2.645	0.203	3.003	—	—	—	—	—	—	—	—	—
12	0.971	1.331	0.812	1.573	0.658	1.864	0.512	2.177	0.379	2.506	0.268	2.832	0.171	3.149	—	—	—	—	—	—	—
13	1.010	1.340	0.861	1.562	0.713	1.816	0.574	2.094	0.445	2.390	0.328	2.692	0.230	2.985	0.147	3.266	—	—	—	—	—
14	1.045	1.350	0.905	1.551	0.767	1.779	0.632	2.030	0.505	2.296	0.393	2.572	0.286	2.848	0.200	3.111	0.127	3.360	—	—	—
15	1.077	1.361	0.948	1.543	0.814	1.750	0.635	1.977	0.562	2.220	0.447	2.472	0.343	2.727	0.251	2.979	0.175	3.216	0.111	3.438	—
16	1.106	1.371	0.982	1.539	0.857	1.728	0.734	1.935	0.615	2.157	0.502	2.389	0.399	2.624	0.304	2.860	0.222	3.090	0.155	3.304	—
17	1.133	1.381	1.015	1.536	0.897	1.710	0.779	1.900	0.664	2.104	0.554	2.318	0.451	2.537	0.356	2.757	0.272	2.975	0.198	3.184	—
18	1.158	1.391	1.046	1.535	0.933	1.696	0.820	1.872	0.710	2.060	0.603	2.257	0.502	2.461	0.407	2.667	0.321	2.873	0.244	3.073	—
19	1.180	1.401	1.074	1.536	0.962	1.685	0.859	1.843	0.752	2.023	0.649	2.206	0.549	2.396	0.456	2.589	0.369	2.783	0.290	2.974	—
20	1.201	1.411	1.100	1.537	0.998	1.676	0.894	1.828	0.792	1.991	0.692	2.162	0.595	2.339	0.502	2.521	0.416	2.704	0.336	2.885	—
21	1.221	1.420	1.125	1.538	1.026	1.669	0.927	1.812	0.829	1.964	0.732	2.124	0.637	2.290	0.547	2.460	0.461	2.633	0.380	2.806	—
22	1.239	1.429	1.147	1.541	1.053	1.664	0.958	1.797	0.863	1.940	0.769	2.090	0.677	2.246	0.588	2.407	0.504	2.571	0.424	2.734	—
23	1.257	1.437	1.168	1.543	1.078	1.660	0.986	1.785	0.895	1.920	0.804	2.061	0.715	2.208	0.628	2.360	0.545	2.514	0.465	2.672	—
24	1.273	1.446	1.188	1.546	1.101	1.656	1.013	1.775	0.925	1.902	0.837	2.035	0.751	2.174	0.666	2.318	0.584	2.464	0.506	2.613	—
25	1.288	1.454	1.206	1.550	1.123	1.654	1.038	1.767	0.953	1.886	0.868	2.012	0.784	2.144	0.702	2.280	0.621	2.419	0.544	2.560	—
26	1.302	1.461	1.224	1.553	1.143	1.652	1.062	1.759	0.979	1.873	0.897	1.992	0.816	2.117	0.735	2.216	0.657	2.379	0.581	2.511	—
27	1.316	1.469	1.240	1.556	1.162	1.651	1.084	1.753	1.004	1.861	0.925	1.974	0.845	2.093	0.767	2.216	0.691	2.342	0.616	2.470	—
28	1.328	1.476	1.255	1.560	1.181	1.650	1.104	1.747	1.028	1.850	0.951	1.958	0.874	2.071	0.798	2.188	0.723	2.309	0.650	2.431	—
29	1.341	1.483	1.270	1.563	1.198	1.650	1.124	1.743	1.050	1.841	0.975	1.944	0.900	2.052	0.826	2.164	0.753	2.278	0.682	2.395	—
30	1.352	1.489	1.294	1.567	1.214	1.650	1.143	1.739	1.071	1.833	0.998	1.931	0.926	2.034	0.854	2.141	0.782	2.251	0.712	2.363	—
31	1.363	1.496	1.297	1.570	1.229	1.650	1.160	1.735	1.090	1.825	1.020	1.920	0.950	2.018	0.879	2.120	0.810	2.226	0.741	2.331	—
32	1.373	1.502	1.309	1.574	1.244	1.650	1.177	1.732	1.109	1.819	1.041	1.909	0.972	2.004	0.904	2.102	0.836	2.203	0.769	2.306	—
33	1.383	1.508	1.321	1.577	1.258	1.651	1.193	1.730	1.127	1.813	1.061	1.900	0.994	1.971	0.927	2.085	0.861	2.181	0.795	2.281	—
34	1.393	1.514	1.333	1.580	1.271	1.652	1.208	1.728	1.144	1.808	1.089	1.891	1.015	1.979	0.950	2.069	0.885	2.162	0.821	2.257	—
35	1.402	1.519	1.343	1.584	1.283	1.653	1.222	1.726	1.160	1.803	1.097	1.884	1.034	1.967	0.971	2.054	0.938	2.144	0.845	2.236	—
36	1.411	1.525	1.354	1.587	1.295	1.654	1.236	1.724	1.175	1.799	1.114	1.877	1.053	1.957	0.991	2.041	0.930	2.127	0.868	2.216	—
37	1.419	1.530	1.364	1.590	1.307	1.655	1.249	1.723	1.190	1.795	1.131	1.870	1.071	1.948	1.011	2.029	0.951	2.112	0.891	2.198	—
38	1.427	1.535	1.373	1.594	1.318	1.656	1.261	1.722	1.204	1.792	1.146	1.864	1.088	1.939	1.029	2.017	0.970	2.098	0.912	2.186	—
39	1.435	1.540	1.382	1.597	1.329	1.659	1.273	1.722	1.218	1.789	1.161	1.859	1.104	1.932	1.047	2.007	0.990	2.085	0.932	2.164	—
40	1.442	1.544	1.391	1.600	1.338	1.659	1.285	1.721	1.230	1.796	1.175	1.854	1.120	1.924	1.064	1.997	1.008	2.072	0.952	2.149	—
45	1.475	1.566	1.430	1.615	1.383	1.666	1.336	1.720	1.287	1.776	1.238	1.835	1.189	1.895	1.139	1.958	1.089	2.022	1.038	2.088	—
50	1.503	1.585	1.462	1.628	1.421	1.674	1.378	1.721	1.335	1.771	1.291	1.822	1.246	1.875	1.201	1.930	1.156	1.986	1.110	2.044	—
55	1.528	1.601	1.499	1.641	1.452	1.681	1.414	1.724	1.374	1.789	1.334	1.814	1.294	1.861	1.253	1.909	1.212	1.959	1.170	2.010	—
60	1.549	1.616	1.514	1.652	1.480	1.689	1.444	1.727	1.408	1.767	1.372	1.808	1.335	1.850	1.298	1.894	1.260	1.939	1.222	1.994	—
65	1.567	1.629	1.536	1.662	1.503	1.696	1.471	1.731	1.439	1.767	1.404	1.805	1.370	1.843	1.336	1.882	1.301	1.923	1.266	1.964	—
70	1.583	1.641	1.554	1.672	1.525	1.703	1.494	1.735	1.464	1.768	1.433	1.802	1.401	1.837	1.369	1.873	1.337	1.910	1.305	1.943	—
75	1.598	1.652	1.571	1.680	1.543	1.709	1.515	1.739	1.487	1.770	1.458	1.801	1.428	1.834	1.399	1.867	1.369	1.901	1.339	1.935	—
80	1.611	1.662	1.586	1.688	1.560	1.715	1.534	1.743	1.507	1.772	1.480	1.801	1.453	1.831	1.425	1.861	1.397	1.893	1.369	1.925	—
85	1.624	1.671	1.600	1.696	1.575	1.721	1.550	1.747	1.525	1.774	1.500	1.801	1.474	1.829	1.448	1.857	1.422	1.886	1.396	1.916	—
90	1.635	1.679	1.612	1.703	1.589	1.726	1.566	1.751	1.542	1.776	1.518	1.801	1.494	1.827	1.469	1.854	1.445	1.881	1.420	1.909	—
95	1.645	1.687	1.623	1.709	1.602	1.732	1.579	1.755	1.557	1.778	1.535	1.802	1.512	1.827	1.439	1.852	1.465	1.877	1.442	1.903	—
100	1.654	1.694	1.634	1.715	1.613	1.736	1.592	1.758	1.571	1.780	1.550	1.803	1.528	1.826	1.506	1.850	1.484	1.874	1.462	1.899	—
150	1.720	1.746	1.706	1.760	1.693	1.774	1.679	1.798	1.6												

n	$k = 11$		$k = 12$		$k = 13$		$k = 14$		$k = 15$		$k = 16$		$k = 17$		$k = 18$		$k = 19$		$k = 20$	
	d_L	d_U																		
16	0.098	1.503	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	0.138	1.328	0.047	1.557	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	0.177	1.265	0.123	1.441	0.078	1.603	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	0.220	1.159	0.160	1.335	0.101	1.498	0.070	1.642	—	—	—	—	—	—	—	—	—	—	—	—
20	0.263	1.063	0.200	1.234	0.143	1.393	0.100	1.542	0.063	1.679	—	—	—	—	—	—	—	—	—	—
21	0.307	0.970	0.240	1.111	0.132	1.300	0.132	1.448	0.091	1.583	0.058	1.705	—	—	—	—	—	—	—	—
22	0.349	0.897	0.281	1.057	0.220	1.211	0.166	1.358	0.120	1.493	0.083	1.619	0.052	1.731	—	—	—	—	—	—
23	0.391	0.826	0.322	0.979	0.239	1.218	0.202	1.322	0.153	1.469	0.110	1.585	0.076	1.650	0.048	1.753	—	—	—	—
24	0.431	0.761	0.362	0.908	0.297	1.053	0.239	1.193	0.166	1.327	0.114	1.434	0.101	1.522	0.070	1.678	0.044	1.773	—	—
25	0.470	0.702	0.400	0.844	0.315	0.941	0.273	1.119	0.221	1.321	0.172	1.376	0.130	1.474	0.098	1.564	0.065	1.702	0.041	1.790
26	0.508	0.649	0.438	0.781	0.371	0.919	0.312	1.051	0.236	1.179	0.203	1.303	0.160	1.420	0.129	1.511	0.087	1.612	0.060	1.721
27	0.544	0.600	0.475	0.730	0.409	0.859	0.348	0.947	0.291	1.112	0.233	1.233	0.191	1.349	0.149	1.460	0.112	1.563	0.081	1.658
28	0.578	0.555	0.510	0.680	0.443	0.881	0.381	0.928	0.325	1.053	0.271	1.168	0.222	1.283	0.178	1.392	0.131	1.495	0.104	1.592
29	0.612	0.515	0.511	0.614	0.477	0.753	0.413	0.874	0.337	0.992	0.316	1.107	0.254	1.219	0.208	1.327	0.166	1.431	0.129	1.528
30	0.643	0.477	0.577	0.592	0.512	0.708	0.451	0.833	0.372	0.937	0.331	1.059	0.266	1.150	0.213	1.266	0.175	1.368	0.156	1.465
31	0.674	0.443	0.604	0.553	0.513	0.665	0.434	0.726	0.325	0.844	0.313	0.996	0.317	1.103	0.269	1.208	0.224	1.309	0.183	1.406
32	0.701	0.411	0.618	0.517	0.576	0.625	0.513	0.733	0.457	0.843	0.341	0.916	0.311	1.050	0.299	1.131	0.253	1.252	0.211	1.313
33	0.731	0.382	0.668	0.484	0.606	0.588	0.546	0.622	0.433	0.795	0.412	0.922	0.372	1.000	0.329	1.100	0.283	1.198	0.239	1.293
34	0.758	0.355	0.695	0.454	0.634	0.534	0.575	0.654	0.414	0.751	0.462	0.851	0.409	0.954	0.359	1.051	0.312	1.142	0.267	1.210
35	0.783	0.330	0.722	0.425	0.662	0.521	0.604	0.610	0.447	0.713	0.422	0.813	0.439	0.910	0.384	1.055	0.340	1.099	0.295	1.190
36	0.808	0.306	0.749	0.378	0.689	0.492	0.631	0.516	0.575	0.602	0.529	0.771	0.467	0.868	0.417	0.961	0.369	1.053	0.323	1.142
37	0.831	0.285	0.772	0.374	0.714	0.461	0.637	0.555	0.602	0.616	0.543	0.733	0.495	0.832	0.445	0.920	0.377	1.009	0.331	1.097
38	0.854	0.265	0.796	0.351	0.730	0.439	0.633	0.526	0.628	0.611	0.575	0.703	0.522	0.792	0.472	0.872	0.404	0.968	0.378	1.051
39	0.875	0.246	0.819	0.329	0.763	0.413	0.707	0.499	0.653	0.590	0.600	0.671	0.547	0.757	0.439	0.843	0.451	0.929	0.404	1.013
40	0.896	0.228	0.849	0.309	0.785	0.431	0.731	0.471	0.673	0.551	0.626	0.631	0.575	0.724	0.523	0.748	0.477	0.922	0.430	1.071
41	0.908	0.216	0.918	0.225	0.887	0.296	0.833	0.367	0.738	0.437	0.710	0.512	0.622	0.586	0.644	0.659	0.598	0.733	0.553	0.917
42	0.914	0.211	0.919	0.213	0.825	0.227	0.827	0.342	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
43	0.929	0.202	0.924	0.203	0.821	0.225	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
44	0.935	0.191	0.929	0.191	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
45	0.941	0.187	0.934	0.187	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
46	0.946	0.183	0.934	0.183	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
47	0.950	0.180	0.934	0.180	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
48	0.954	0.177	0.934	0.177	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
49	0.957	0.174	0.934	0.174	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
50	0.962	0.171	0.934	0.171	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
51	0.963	0.168	0.934	0.168	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
52	0.964	0.165	0.934	0.165	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
53	0.965	0.162	0.934	0.162	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
54	0.966	0.160	0.934	0.160	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
55	0.967	0.158	0.934	0.158	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
56	0.968	0.156	0.934	0.156	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
57	0.969	0.154	0.934	0.154	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
58	0.970	0.152	0.934	0.152	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
59	0.971	0.150	0.934	0.150	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
60	0.972	0.148	0.934	0.148	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
61	0.973	0.146	0.934	0.146	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
62	0.974	0.144	0.934	0.144	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
63	0.975	0.142	0.934	0.142	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
64	0.976	0.140	0.934	0.140	0.821	0.203	0.841	0.341	0.771	0.434	0.722	0.519	0.717	0.544	0.703	0.610	0.660	0.767	0.574	0.917
65																				

Appendix D Statistical Tables

Durbin-Watson d Statistic: Significance Points of d_L and d_U at 0.01 Level of Significance

n	$K=1$		$K=2$		$K=3$		$K=4$		$K=5$		$K=6$		$K=7$		$K=8$		$K=9$		$K=10$	
	d_L	d_U	d_L	d_U																
6	0.390	1.142	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	0.435	1.036	0.294	1.676	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	0.477	1.003	0.345	1.439	0.229	2.102	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	0.554	0.993	0.428	1.399	0.279	1.875	0.193	2.433	—	—	—	—	—	—	—	—	—	—	—	—
10	0.604	1.001	0.466	1.333	0.340	1.733	0.230	2.193	0.150	2.690	—	—	—	—	—	—	—	—	—	—
11	0.653	1.010	0.519	1.297	0.396	1.640	0.286	2.030	0.193	2.453	0.124	2.892	—	—	—	—	—	—	—	—
12	0.697	1.023	0.569	1.274	0.449	1.575	0.339	1.913	0.244	2.280	0.164	2.665	0.105	3.053	—	—	—	—	—	—
13	0.738	1.038	0.616	1.261	0.499	1.526	0.391	1.826	0.294	2.150	0.211	2.490	0.140	2.838	0.090	3.182	—	—	—	—
14	0.776	1.054	0.660	1.254	0.547	1.490	0.441	1.737	0.343	2.049	0.257	2.354	0.183	2.667	0.122	2.981	0.078	3.287	—	—
15	0.811	1.070	0.700	1.252	0.591	1.464	0.488	1.704	0.391	1.987	0.303	2.244	0.226	2.530	0.161	2.817	0.107	3.101	0.063	3.374
16	0.844	1.086	0.737	1.252	0.633	1.446	0.532	1.663	0.437	1.900	0.349	2.153	0.269	2.416	0.200	2.681	0.142	2.944	0.094	3.201
17	0.874	1.102	0.772	1.255	0.672	1.432	0.574	1.630	0.480	1.847	0.393	2.078	0.313	2.319	0.241	2.566	0.179	2.811	0.127	3.053
18	0.902	1.118	0.805	1.259	0.708	1.422	0.613	1.634	0.522	1.803	0.435	2.015	0.355	2.238	0.292	2.467	0.216	2.697	0.160	2.925
19	0.928	1.132	0.835	1.265	0.742	1.415	0.650	1.584	0.561	1.767	0.476	1.963	0.398	2.169	0.322	2.381	0.255	2.597	0.196	2.813
20	0.952	1.147	0.863	1.271	0.773	1.417	0.685	1.567	0.593	1.737	0.515	1.918	0.436	2.110	0.362	2.308	0.294	2.510	0.232	2.714
21	0.975	1.161	0.890	1.277	0.803	1.408	0.713	1.554	0.633	1.712	0.552	1.881	0.474	2.059	0.400	2.244	0.331	2.434	0.268	2.625
22	0.997	1.174	0.914	1.284	0.831	1.407	0.743	1.543	0.667	1.691	0.587	1.849	0.510	2.015	0.437	2.198	0.368	2.367	0.334	2.548
23	1.013	1.187	0.938	1.291	0.853	1.407	0.777	1.534	0.693	1.673	0.620	1.821	0.545	2.077	0.473	2.140	0.404	2.308	0.340	2.479
24	1.037	1.199	0.960	1.298	0.882	1.407	0.805	1.523	0.723	1.659	0.652	1.797	0.573	1.944	0.507	2.097	0.439	2.255	0.375	2.417
25	1.055	1.211	0.981	1.305	0.906	1.409	0.831	1.523	0.756	1.645	0.682	1.776	0.610	1.915	0.543	2.059	0.473	2.209	0.409	2.362
26	1.072	1.222	1.001	1.312	0.929	1.411	0.855	1.518	0.783	1.635	0.711	1.739	0.643	1.839	0.572	2.026	0.505	2.168	0.441	2.313
27	1.089	1.233	1.019	1.319	0.949	1.413	0.878	1.515	0.808	1.626	0.738	1.743	0.669	1.867	0.602	1.997	0.536	2.131	0.473	2.269
28	1.104	1.244	1.037	1.325	0.959	1.415	0.900	1.513	0.832	1.618	0.764	1.729	0.696	1.847	0.630	1.970	0.566	2.098	0.504	2.229
29	1.119	1.254	1.054	1.332	0.988	1.413	0.921	1.512	0.855	1.611	0.738	1.718	0.723	1.830	0.653	1.947	0.595	2.068	0.533	2.193
30	1.133	1.263	1.070	1.339	1.006	1.421	0.941	1.511	0.877	1.606	0.812	1.707	0.748	1.814	0.684	1.925	0.622	2.041	0.562	2.160
31	1.147	1.273	1.085	1.345	1.023	1.425	0.960	1.510	0.897	1.601	0.834	1.698	0.772	1.800	0.710	1.906	0.649	2.017	0.589	2.131
32	1.160	1.282	1.100	1.352	1.040	1.428	0.979	1.510	0.917	1.597	0.836	1.690	0.794	1.738	0.734	1.889	0.674	1.995	0.615	2.104
33	1.172	1.291	1.114	1.358	1.055	1.432	0.996	1.510	0.936	1.594	0.876	1.683	0.815	1.775	0.757	1.874	0.698	1.975	0.641	2.080
34	1.184	1.299	1.128	1.364	1.070	1.435	1.012	1.511	0.954	1.591	0.896	1.677	0.837	1.766	0.779	1.860	0.722	1.957	0.665	2.057
35	1.195	1.307	1.140	1.370	1.085	1.439	1.028	1.512	0.971	1.589	0.914	1.671	0.857	1.757	0.800	1.847	0.744	1.940	0.689	2.037
36	1.206	1.315	1.153	1.376	1.098	1.442	1.043	1.513	0.938	1.588	0.932	1.666	0.977	1.749	0.821	1.836	0.766	1.925	0.711	2.018
37	1.217	1.323	1.165	1.382	1.112	1.446	1.058	1.514	1.004	1.582	0.930	1.662	0.895	1.742	0.841	1.825	0.787	1.911	0.733	2.001
38	1.227	1.330	1.176	1.385	1.124	1.449	1.072	1.515	1.019	1.585	0.966	1.658	0.913	1.735	0.860	1.816	0.807	1.899	0.754	1.985
39	1.237	1.337	1.187	1.393	1.137	1.453	1.085	1.517	1.034	1.584	0.982	1.655	0.930	1.729	0.873	1.807	0.826	1.887	0.774	1.970
40	1.246	1.344	1.198	1.398	1.143	1.457	1.093	1.518	1.048	1.584	0.997	1.652	0.946	1.724	0.895	1.799	0.844	1.876	0.749	1.956
45	1.288	1.375	1.245	1.423	1.201	1.474	1.156	1.528	1.111	1.584	1.065	1.643	1.019	1.704	0.974	1.768	0.927	1.834	0.891	1.902
50	1.324	1.403	1.285	1.446	1.245	1.491	1.205	1.538	1.164	1.587	1.123	1.639	1.081	1.692	1.039	1.748	0.997	1.805	0.955	1.864
55	1.356	1.427	1.320	1.466	1.284	1.506	1.247	1.548	1.209	1.592	1.172	1.638	1.134	1.693	1.095	1.734	1.057	1.795	1.013	1.837
60	1.383	1.449	1.350	1.484	1.317	1.520	1.283	1.558	1.249	1.598	1.214	1.639	1.179	1.682	1.144	1.726	1.108	1.771	1.072	1.817
65	1.407	1.468	1.377	1.500	1.345	1.534	1.315	1.568	1.283	1.604	1.251	1.642	1.218	1.680	1.186	1.720	1.153	1.761	1.120	1.802
70	1.429	1.485	1.400	1.515	1.372	1.546	1.343	1.578	1.313	1.611	1.283	1.645	1.253	1.680	1.223	1.716	1.192	1.754	1.162	1.792
75	1.448	1.501	1.422	1.529	1.395	1.557	1.363	1.587	1.340	1.617	1.313	1.649	1.284	1.682	1.256	1.714	1.227	1.743	1.199	1.783
80	1.466	1.515	1.441	1.541	1.416	1.568	1.390	1.595	1.364	1.624	1.338	1.653	1.312	1.683	1.285	1.714	1.259	1.745	1.232	1.777
85	1.482	1.529	1.458	1.553	1.435	1.578	1.411	1.603	1.386	1.630	1.362	1.657	1.337	1.685	1.312	1.714	1.287	1.743	1.262	1.773
90	1.496	1.540	1.474	1.563	1.452	1.587	1.429	1.611	1.406	1.636	1.383	1.661	1.360	1.687	1.336	1.714	1.312	1.741	1.288	1.769
95	1.510	1.552	1.489	1.573	1.468	1.596	1.446	1.618	1.425	1.642	1.403	1.666	1.381	1.690	1.358	1.722	1.317	1.741	1.313	1.767
100	1.522	1.562	1.503	1.583	1.482	1.604	1.462	1.625	1.441	1.647	1.421	1.670	1.400	1.693	1.373	1.717	1.357	1.741	1.335	1.765
150	1.611	1.637	1.598	1.651	1.584	1.665	1.571	1.679	1.557	1.693	1.543	1.703	1.530	1.722	1.515	1.737	1.501	1.732	1.486	1.767
200	1.664	1.684	1.653	1.693	1.643	1.704	1.633	1.715	1.623	1.725	1.613	1.735	1.603	1.746	1.592	1.757	1.582	1.768	1.571	1.

Appendix D *Statistical Tables*

	$k=11$	$k=12$	$k=13$	$k=14$	$k=15$	$k=16$	$k=17$	$k=18$	$k=19$	$k=20$
n	d_1	d_2	d_3	d_4	d_5	d_6	d_7	d_8	d_9	d_{10}
10	0.660	3.446	—	—	—	—	—	—	—	—
11	0.684	3.236	3.033	3.526	—	—	—	—	—	—
12	0.713	3.146	0.673	3.358	0.647	3.357	—	—	—	—
13	0.743	3.023	0.403	1.222	0.667	3.420	0.744	3.671	—	—
14	0.773	2.914	0.111	3.109	0.692	3.277	0.661	3.774	3.937	—
15	0.812	2.837	0.042	3.040	1.110	3.145	0.784	3.815	3.938	3.971
16	0.846	2.729	0.184	2.909	0.143	3.081	0.152	3.259	3.777	3.810
17	0.873	2.631	0.227	2.822	0.178	2.991	0.155	3.153	3.626	3.725
18	0.915	2.533	0.260	2.741	0.269	2.905	0.195	3.162	3.593	3.705
19	0.953	2.437	0.297	2.652	0.383	2.782	0.212	3.123	3.563	3.642
20	0.993	2.337	0.330	2.574	0.210	2.827	0.393	2.723	3.492	3.572
21	0.933	2.237	0.363	2.493	0.333	2.635	0.212	3.132	3.474	3.553
22	0.973	2.137	0.397	2.413	0.363	2.552	0.311	2.745	3.402	3.481
23	1.013	2.037	0.437	2.333	0.397	2.674	0.244	2.799	3.371	3.450
24	1.053	1.937	0.475	2.252	0.359	2.595	0.295	2.830	3.311	3.390
25	0.993	1.837	0.513	2.172	0.333	2.615	0.243	2.772	3.224	3.303
26	1.033	1.737	0.447	2.092	0.303	2.532	0.311	2.713	3.200	3.279
27	0.973	1.637	0.485	2.012	0.272	2.552	0.272	2.732	3.152	3.231
28	1.013	1.537	0.523	1.932	0.242	2.571	0.322	2.751	3.132	3.211
29	0.953	1.437	0.561	1.852	0.212	2.590	0.371	2.771	3.112	3.191
30	0.993	1.337	0.599	1.772	0.182	2.609	0.322	2.791	3.092	3.171
31	0.933	1.237	0.637	1.692	0.152	2.628	0.300	2.881	3.053	3.132
32	0.973	1.137	0.675	1.612	0.122	2.647	0.288	2.860	3.032	3.111
33	0.953	1.037	0.713	1.532	0.092	2.666	0.268	2.838	3.001	3.080
34	0.993	0.937	0.750	1.452	0.062	2.685	0.248	2.817	2.970	3.059
35	0.933	0.837	0.788	1.372	0.032	2.704	0.228	2.797	2.939	3.018
36	0.973	0.737	0.826	1.292	0.002	2.723	0.208	2.777	2.905	2.984
37	0.953	0.637	0.864	1.212	0.002	2.742	0.188	2.736	2.874	2.953
38	0.993	0.537	0.902	1.132	0.002	2.761	0.168	2.725	2.833	2.912
39	0.933	0.437	0.940	1.052	0.002	2.780	0.148	2.689	2.757	2.831
40	0.973	0.337	0.978	0.972	0.002	2.799	0.128	2.639	2.720	2.799
41	0.953	0.237	1.016	0.892	0.002	2.818	0.108	2.581	2.614	2.683
42	0.993	0.137	1.054	0.812	0.002	2.837	0.088	2.533	2.553	2.622
43	0.933	0.037	1.092	0.732	0.002	2.856	0.068	2.485	2.503	2.572
44	0.973	0.937	1.130	0.652	0.002	2.875	0.048	2.434	2.452	2.521
45	0.953	0.837	1.168	0.572	0.002	2.894	0.028	2.383	2.401	2.469
46	0.993	0.737	1.206	0.492	0.002	2.913	0.008	2.332	2.350	2.419
47	0.933	0.637	1.244	0.412	0.002	2.932	0.008	2.281	2.300	2.368
48	0.973	0.537	1.282	0.332	0.002	2.951	0.008	2.230	2.249	2.318
49	0.953	0.437	1.320	0.252	0.002	2.970	0.008	2.179	2.198	2.267
50	0.993	0.337	1.358	0.172	0.002	2.989	0.008	2.128	2.147	2.216
51	0.933	0.237	1.396	0.092	0.002	3.008	0.008	2.077	2.096	2.165
52	0.973	0.137	1.434	0.012	0.002	3.027	0.008	2.026	2.045	2.114
53	0.953	0.037	1.472	0.012	0.002	3.046	0.008	1.975	1.994	2.063
54	0.993	0.937	1.510	0.032	0.002	3.065	0.008	1.924	1.943	2.012
55	0.933	0.837	1.548	0.052	0.002	3.084	0.008	1.873	1.892	1.961
56	0.973	0.737	1.586	0.072	0.002	3.103	0.008	1.822	1.841	1.909
57	0.953	0.637	1.624	0.092	0.002	3.122	0.008	1.771	1.790	1.859
58	0.993	0.537	1.662	0.112	0.002	3.141	0.008	1.720	1.739	1.808
59	0.933	0.437	1.700	0.132	0.002	3.160	0.008	1.669	1.688	1.757
60	0.973	0.337	1.738	0.152	0.002	3.179	0.008	1.618	1.637	1.706
61	0.953	0.237	1.776	0.172	0.002	3.198	0.008	1.567	1.586	1.655
62	0.993	0.137	1.814	0.192	0.002	3.217	0.008	1.516	1.535	1.604
63	0.933	0.037	1.852	0.212	0.002	3.236	0.008	1.465	1.484	1.553
64	0.973	0.937	1.890	0.232	0.002	3.255	0.008	1.414	1.433	1.502
65	0.953	0.837	1.928	0.252	0.002	3.274	0.008	1.363	1.382	1.451
66	0.993	0.737	1.966	0.272	0.002	3.293	0.008	1.312	1.331	1.400
67	0.933	0.637	2.004	0.292	0.002	3.312	0.008	1.261	1.280	1.349
68	0.973	0.537	2.042	0.312	0.002	3.331	0.008	1.210	1.229	1.298
69	0.953	0.437	2.080	0.332	0.002	3.350	0.008	1.159	1.178	1.247
70	0.993	0.337	2.118	0.352	0.002	3.369	0.008	1.108	1.127	1.196
71	0.933	0.237	2.156	0.372	0.002	3.388	0.008	1.057	1.076	1.145
72	0.973	0.137	2.194	0.392	0.002	3.407	0.008	1.006	1.025	1.094
73	0.953	0.037	2.232	0.412	0.002	3.426	0.008	955	974	1.043
74	0.993	0.937	2.270	0.432	0.002	3.445	0.008	904	923	992
75	0.953	0.837	2.308	0.452	0.002	3.464	0.008	853	872	941
76	0.993	0.737	2.346	0.472	0.002	3.483	0.008	802	821	880
77	0.953	0.637	2.384	0.492	0.002	3.502	0.008	751	770	839
78	0.993	0.537	2.422	0.512	0.002	3.521	0.008	700	719	788
79	0.953	0.437	2.460	0.532	0.002	3.540	0.008	649	668	737
80	0.993	0.337	2.498	0.552	0.002	3.559	0.008	598	617	686
81	0.953	0.237	2.536	0.572	0.002	3.578	0.008	547	566	635
82	0.993	0.137	2.574	0.592	0.002	3.597	0.008	496	515	584
83	0.953	0.037	2.612	0.612	0.002	3.616	0.008	445	464	533
84	0.993	0.937	2.650	0.632	0.002	3.635	0.008	394	413	482
85	0.953	0.837	2.688	0.652	0.002	3.654	0.008	343	362	431
86	0.993	0.737	2.726	0.672	0.002	3.673	0.008	292	311	380
87	0.953	0.637	2.764	0.692	0.002	3.692	0.008	241	260	329
88	0.993	0.537	2.802	0.712	0.002	3.711	0.008	190	209	278
89	0.953	0.437	2.840	0.732	0.002	3.730	0.008	139	158	227
90	0.993	0.337	2.878	0.752	0.002	3.749	0.008	88	107	176
91	0.953	0.237	2.916	0.772	0.002	3.768	0.008	37	56	125
92	0.993	0.137	2.954	0.792	0.002	3.787	0.008	—	—	—

Note: n = number of observations.
 k = number of explanatory variables excluding the constant term.

Spiraea Seta and White, sp. n., by J. G. Voss.

Correction sheet

Date: 25/4/2018

Room: Ugglevikssalen

Exam: Econometrics I

Course: Econometrics

Anonymous code:

0025 - AGK



I authorise the anonymous posting of my exam, in whole or in part, on the department homepage as a sample student answer.

NOTE! ALSO WRITE ON THE BACK OF THE ANSWER SHEET

Mark answered questions

1	2	3	4	5	6	7	8	9	Total number of pages
✓	✓	✓	✓	✓					3
Teacher's notes 24	8	16	20	25					21

Points	Grade	Teacher's sign.
93	A	(PW)



Task 1.

A) Model: $Y_i = \beta X_i + \alpha + \epsilon_i$

$$SSE = \sum (Y_i - \hat{Y}_i)^2 = \sum (Y_i - \hat{\beta} \cdot X_i)^2$$

$$\frac{\partial SSE}{\partial \hat{\beta}} = \sum -2X_i(Y_i - \hat{\beta} \cdot X_i) = 0$$

$$\Rightarrow \sum X_i Y_i - \hat{\beta} \cdot \sum X_i^2 = 0$$

$$\Rightarrow \hat{\beta} = \frac{\sum X_i Y_i}{\sum X_i^2}$$

R

B) $E(\hat{\beta}) = E\left[\frac{\sum X_i Y_i}{\sum X_i^2}\right] = \frac{1}{\sum X_i^2} E[\sum X_i Y_i]$

$$= \frac{\sum X_i \cdot E(Y_i)}{\sum X_i^2} = \frac{\sum X_i \cdot \beta \cdot X_i}{\sum X_i^2}$$

$$= \frac{\beta \cdot \sum X_i^2}{\sum X_i^2} = \beta.$$

R

Thus, $\hat{\beta}$ is an unbiased estimator for β .

$$V(\hat{\beta}) = V\left[\frac{\sum X_i Y_i}{\sum X_i^2}\right] = \frac{1}{(\sum X_i^2)^2} V[\sum X_i Y_i]$$

$$V(\sum X_i Y_i) = \sum V(X_i Y_i) + 2 \sum_{i \neq j} \text{cov}(X_i Y_i, X_j Y_j)$$

(8)

Since we assume that error terms are uncorrelated

$$\text{cov}(X_i Y_i, X_j Y_j) = X_i X_j \text{cov}(Y_i, Y_j) = X_i X_j \text{cov}(\epsilon_i, \epsilon_j) = 0$$

Then we get $V(\sum X_i Y_i) = \sum V(X_i Y_i)$

In addition, we assume the error terms are homoscedastic

$$V(\sum X_i Y_i) = \sum V(X_i Y_i) = \sum X_i^2 \cdot V(Y_i) = \sum X_i^2 \sigma^2 = \sigma^2 \sum X_i^2$$

Thus we get

$$V(\hat{\beta}) = \frac{\sigma^2 \sum X_i^2}{(\sum X_i^2)^2} = \frac{\sigma^2}{\sum X_i^2}$$

R 61

c). From the assumption.

$$V(u_i) = \sigma^2 = \sigma^2 \cdot x_i.$$

In order for the error term to be constant, we divide the both side of our model with $\sqrt{x_i}$

$$\frac{y_i}{\sqrt{x_i}} = \beta \frac{x_i}{\sqrt{x_i}} + \frac{u_i}{\sqrt{x_i}}$$

$$\frac{y_i}{\sqrt{x_i}} = \beta \cdot \sqrt{x_i} + \frac{u_i}{\sqrt{x_i}}$$

$$V\left(\frac{u_i}{\sqrt{x_i}}\right) = \frac{V(u_i)}{x_i} = \frac{\sigma^2 \cdot x_i}{x_i} = \sigma^2$$

(8)

Thus, the transformed model has homoscedastic error term.

Task 2.

a) and c)

~~X~~

8

SU, DEPARTMENT OF STATISTICS

Room: VG

Anonymous code: 0025-AGK Sheet number: _____

2

Task 3

A) $H_0: \beta_2 = \beta_3 = 0$

$H_a: \beta_2 \neq 0 \text{ or } \beta_3 \neq 0 \text{ or both}$

6

Test statistic: $G = 21.886$

Since p-value = 0.000, we reject H_0 and conclude that this logistic regression model is significant.

OK

B) Since $E(e^{\hat{\beta}_1}) = e^{\hat{\beta}_1}$

the confidence interval for $e^{\hat{\beta}_1}$ is $e^{\hat{\beta}_1} \pm t_{0.05} \cdot S_{(e^{\hat{\beta}_1})}$

$$e^{\hat{\beta}_1} = e^{0.867797}, t_{0.05} \approx 2.05 = 1.645. S_{(e^{\hat{\beta}_1})} = e^{0.367074}$$

90% CI: $e^{0.867797} \pm 1.645 \cdot e^{0.367074}$

$$\Rightarrow 3.382 \pm 2.375$$

$$\Rightarrow (0.007, 8.757)$$

K
-4

3

C) $E(\hat{p} | VR=1, PR=1) = \frac{1}{1 + e^{-(2.05946 - 2.40444 + 0.867797)}}$

$$= \frac{1}{1 + e^{-3.596103}} \approx 0.02670$$

7

The observed proportion: $\frac{4}{143} \approx 0.02797$

The expected value of \hat{p} from this model is very close to the observed proportion, which means that this model well explains the probability that a multiple murder will get a death penalty.

16

Task 4

$$\ln \text{GDP}_{t,c} = \beta_1 + \beta_2 \cdot \ln \text{Labor} + \beta_3 \cdot \ln \text{Capital} + u_t$$

A) One percentage increase in Labor is associated with β_2 percentage change in GDP given that other variables are constant. on average 3

B) $H_0: \beta_2 = \beta_3 = 0$

$H_a: \beta_2 \neq 0 \text{ or } \beta_3 \neq 0$ 2 5 ~~both~~ ~~22%~~ ~~0.01~~

Since corresponding p-value = 0.0000, we reject H_0 and conclude that this regression model is significant. which means?

C) Since $E(\hat{\beta}_2 + \hat{\beta}_3) = E(\hat{\beta}_2) + E(\hat{\beta}_3) = \beta_2 + \beta_3$.

the confidence interval for $\beta_2 + \beta_3$ is expressed by

$$\hat{\beta}_2 + \hat{\beta}_3 \pm t_{0.05}^{(ndf)} S(\hat{\beta}_2 + \hat{\beta}_3)$$

$$\begin{aligned} V(\hat{\beta}_2 + \hat{\beta}_3) &= V(\hat{\beta}_2) + V(\hat{\beta}_3) + 2 \text{cov}(\hat{\beta}_2, \hat{\beta}_3) \\ &= (.03448182) + (.00871459) + 2(-.01703459) \\ &= .00912759 \end{aligned}$$

$$90\% \text{ CI for } \beta_2 + \beta_3 = (.3397362) + (.8459951) \pm 1.742 \cdot \sqrt{.00912759}$$

$$\Rightarrow 1.1857 \pm 0.1662$$

$$\Rightarrow (1.0195 ; 1.3519)$$

12

With 90% confidence, we conclude that GDP is increasing return to scale, because the CI for $\beta_2 + \beta_3$ is greater than 1. 2 20

Task 5

$$\text{Model 1: } Y_i = \beta_1 + \beta_2 \cdot X_{2i} + u_i$$

$$\text{Model 2: } Y_i = \beta_1 + \beta_2 \cdot X_{2i} + \beta_3 \cdot D_i + \beta_4 \cdot D_i \cdot X_{3i} + u_i$$

A)

$$\hat{Y}_{1i} = \hat{\beta}_1 + \hat{\beta}_2 \cdot X_{2i}$$

$$\hat{Y}_{2i} = \hat{\beta}_1 + \hat{\beta}_2 \cdot X_{2i} + \hat{\beta}_3 + \hat{\beta}_4 \cdot X_{2i} = (\hat{\beta}_1 + \hat{\beta}_3) + (\hat{\beta}_2 + \hat{\beta}_4) \cdot X_{2i}$$

⇒

$$\hat{Y}_{1i} = -5,342 + 0,11151 \cdot X_{2i}$$

$$\hat{Y}_{2i} = -3,353 + 0,06649 \cdot X_{2i}$$

47. ok

(5)

B)

$$H_0: \beta_3 = \beta_4 = 0$$

$$H_a: \beta_3 \neq 0 \text{ or } \beta_4 \neq 0$$

$$\text{Test Statistic: } F = \frac{RSS_R - RSS_U}{RSS_U / (n-k)} \sim F(m, n-k)$$

Given H_0 is true and $u_i \sim IN(0, \sigma^2)$

Decision rule: we reject H_0 if $F_{\text{obs}} > F_{(2,21)}$

$$\text{Result: } F_{\text{obs}} = \frac{(27,774 - 16,7871) / 2}{16,7871 / 21} \approx 6,8721$$

$$F_{(2,22)}^{.05} < F_{(2,21)}^{.05} < F_{(2,20)}^{.05} \Rightarrow 3,44 < F_{(2,21)}^{.05} < 3,49$$

(10)

Since $F_{\text{obs}} > F_{(2,21)}^{.05}$ we reject H_0 with 5% Significance level

and conclude that the beta-parameters are not the same
for the two groups.

$$C) H_0: \sigma_1^2 = \sigma_2^2$$

$$H_a: \sigma_1^2 \neq \sigma_2^2 \quad (\text{Significance level} = 5\%)$$

Let. RSS_{UR} : The residual sum of squares for the unrestricted model

RSS_1 : The residual sum of squares for group 1

RSS_2 : The residual sum of squares for group 2

$$RSS_{UR} = RSS_1 + RSS_2$$

$$\Rightarrow RSS_2 = RSS_{UR} - RSS_1 = 16.7871 - 7.7294 = 9.0577$$

$$\text{Test Statistic : } F = \frac{\frac{S_2^2 / (n_2 - k)}{S_1^2 / (n_1 - k)}}{\sim F(n_2 - k, n_1 - k)}$$

where n_1 and n_2 are the number of observations for group 1 and 2.

k denotes the number of regressors, given that H_0 is true

Decision rule : We reject H_0 if $F_{obs} > F(10-2, 15-2)$.

$$\text{Result : } F_{obs} = \frac{RSS_2 / (n_2 - k)}{RSS_1 / (n_1 - k)} = \frac{9.0577 / 0}{7.7294 / 13} \approx 1.9043$$

$$F_{(8, 13)}^{.05} = 2.77$$

Since $F_{obs} < F_{(8, 13)}^{.05}$, we do not have enough evidence to reject H_0 . The error variance is the same for the two groups.

10

25